





# Living with art

Gvt matt  
**600X1200MM**





Product Range





Product Range






Product Range






Product Range





# Product Range



The collection of culture, expressing in porcelain stoneware the same visual and tactile characteristics as achieved on the slats: refined and elegant, celebrating the convergence of different worlds, bringing together tradition and innovation.

PGVT  
600X1200MM







Comfort  
with  
living life



Matt  
SERIES

Eye-catching looks for an elegantly complex design.

A homage to a material with significant history,  
reinvented with a decidedly contemporary feel, which  
leaves its mark indelibly, bringing style to the most  
varied and demanding contemporary design  
settings.

GVT  
**600X1200MM**






AMBROS BIANCO



RANDOM- 04



AMBROS CLAY



RANDOM- 04











AMBROS GREY



RANDOM- 04



AMBROS YAM



RANDOM- 04











ANESSA CHARCOAL



RANDOM- 04



ANESSA GOLD



RANDOM- 04










ANESSA LILAC




RANDOM- 04

GVT  
600X1200MM



ANESSA PINK



RANDOM- 04

FINISH:- Matt










ANESSA PURPLE




RANDOM- 04

GVT  
600X1200MM



ANESSA RED



RANDOM- 04

FINISH:- Matt










ANESSA WHITE



RANDOM- 04



ANESSA YELLOW



RANDOM- 04











ARES BEIGE



RANDOM- 01



ARES BIANCO



RANDOM- 01










**ARES FLAX**




**RANDOM- 01**

GVT  
**600X1200MM**



**ARES GREY**




**RANDOM- 01**

**FINISH:-** Matt










BOSTON BEIGE




RANDOM- 04

GVT  
600X1200MM



BOSTON BROWN




RANDOM- 04

FINISH:- Matt











BOSTON GREY




RANDOM- 04

GVT  
600X1200MM



BOSTON BIANCO



RANDOM- 04

FINISH:- Matt









CALCE BEIGE



RANDOM- 02



CALCE GREY



RANDOM- 03










CELARIYO BEIGE



RANDOM- 04



CELARIYO GREY



RANDOM- 04









CELARIYO IVORY




RANDOM- 04

GVT  
600X1200MM



CELARIYO NERO



RANDOM- 04

FINISH:- Matt









CHINATO SILVER



RANDOM- 03



CHINATO TAN



RANDOM- 03











COSTA BROWN




RANDOM- 04

GVT  
600X1200MM



COSTA GREY



RANDOM- 04

FINISH:- Matt











COSTA RAHINO



RANDOM- 04



COSTA RUST




RANDOM- 04











COSTA SILVER




RANDOM- 04

GVT  
600X1200MM



COSTA THUNDER



RANDOM- 04

FINISH:- Matt










CRESTA BEIGE



RANDOM- 03



CRESTA BROWN



RANDOM- 03










CRESTA GRIS



RANDOM- 03

GVT  
600X1200MM



CRESTA SILVER



RANDOM- 03

FINISH:- Matt










ENIGMA GREY



RANDOM- 04



EVON NATURAL




RANDOM- 03










EVON BIANCO




RANDOM- 03

GVT  
600X1200MM



GLEN



RANDOM- 0

FINISH:- Matt









GLEN BEIGE




RANDOM- 04

GVT  
600X1200MM



GLEN BROWN




RANDOM- 4

FINISH:- Matt










GLEN GREY




RANDOM- 02

GVT  
600X1200MM




GLEN LIGHT



RANDOM- 4

FINISH:- Matt











GLEN NATURAL



RANDOM- 04

GVT  
600X1200MM



GLEN SILVER



RANDOM- 4

FINISH:- Matt









GLEN TAN



RANDOM- 04

GVT  
600X1200MM



JURAK BRONZ




RANDOM- 4

FINISH:- Matt










JURAK IRON



RANDOM- 04

GVT  
600X1200MM



JURAK WHITE



RANDOM- 4

FINISH:- Matt










**KESTER MINK**



**RANDOM- 02**



**KESTER STEEL**



**RANDOM- 2**










LAVA BEIGE



RANDOM- 03



LAVA BROWN




RANDOM- 02










LAVA GRIS



RANDOM- 03

GVT  
600X1200MM



LAVA LIGHT



RANDOM- 03

FINISH:- Matt









MINTI BEIGE



RANDOM- 04



MINTI BIANCO



RANDOM- 04










**MINTI BRONZE**



**RANDOM- 04**



**MINTI GREY**



**RANDOM- 04**









NOVANA GREY



RANDOM- 04

GVT  
600X1200MM



NEXA BIANCO




RANDOM- 04

FINISH:- Matt










NEXA BROWN



RANDOM- 04

GVT  
600X1200MM



NEXA IVORY




RANDOM- 04

FINISH:- Matt










NEXA NERO



RANDOM- 04

GVT  
600X1200MM



NOVANA BROWN



RANDOM- 04

FINISH:- Matt









NOVANA BROWN LIGHT



RANDOM- 04



NOVANA GREY LIGHT



RANDOM- 04









NURIA BEIGE



RANDOM- 04

GVT  
600X1200MM



NURIA BROWN



RANDOM- 04

FINISH:- Matt









PIAT BEIGE



RANDOM- 03

GVT  
600X1200MM



PIAT STEEL



RANDOM- 03

FINISH:- Matt









PIERO BEIGE



RANDOM- 04



PIERO BIANCO



RANDOM- 04











PIERO BROWN



RANDOM- 04



PIERO GREY



RANDOM- 04










TAYOS SMOKE




RANDOM- 03

GVT  
600X1200MM



TAYOS WHITE



RANDOM- 03

FINISH:- Matt









**THERON BEIGE**



**RANDOM- 04**



**THERON SILVER**



**RANDOM- 04**











SAND BEIGE



RANDOM- 04



SAND BLANCO



RANDOM- 04











SAND BROWN




RANDOM- 04

GVT  
600X1200MM



SAND GREY



RANDOM- 04

FINISH:- Matt









STONEAGE BEIGE



RANDOM- 04



STONEAGE BROWN




RANDOM- 04









STONEAGE GREY



RANDOM- 03



STONEAGE BIANCO



RANDOM- 04









TUNA ROCK GRIS



RANDOM- 04



TUNA ROCK ICE



RANDOM- 04










VICTORIA BIANCO



RANDOM- 04

GVT  
600X1200MM



VICTORIO GREY



RANDOM- 04

FINISH:- Matt



# Technical Specifications.

| CHARACTERISTIC                            | STANDARD AS PER<br>ISO-13006/EN 14411<br>GROUP BIa | MEAN VALUE OF<br>POLISHED GVT | MEAN VALUE OF<br>GVT / PGVT | TEST METHOD  |
|-------------------------------------------|----------------------------------------------------|-------------------------------|-----------------------------|--------------|
| REGULATORY PROPERTIES                     |                                                    |                               |                             |              |
| Deviation in length & width               | ±0.5 %                                             | ±0.1 %                        | ±0.1 %                      | ISO-10545-2  |
| Deviation in thickness                    | ±5.0 %                                             | ±4.0 %                        | ±4.0 %                      | ISO-10545-2  |
| Straightness in side                      | ±0.5 %                                             | ±0.1 %                        | ±0.1 %                      | ISO-10545-2  |
| Rectangularity                            | ±0.5 %                                             | ±0.1 %                        | ±0.1 %                      | ISO-10545-2  |
| Surface flatness                          | ±0.5 %                                             | ±0.2 %                        | ±0.2 %                      | ISO-10545-2  |
| Color dierence                            | Unaltered                                          | No change                     | No change                   | ISO-10545-16 |
| Glossiness                                | As per mfg                                         | Min 90%                       | Min 4%                      | GLOSSOMETER  |
| STRUCTURAL PROPERTIES                     |                                                    |                               |                             |              |
| Water absorption                          | <0.05%                                             | <0.05%                        | <0.05%                      | ISO-10545-3  |
| Apparent density                          | > 2.0 g/cc                                         | >2.10 g/cc                    | >2.10 g/cc                  | DIN 51082    |
| MASSIVE MECHANICAL PROPERTIES             |                                                    |                               |                             |              |
| Modulus of rupture                        | Min. 35 N/mm                                       | Min. 40 N/mm <sup>2</sup>     | Min. 40 N/mm <sup>2</sup>   | ISO-10545-4  |
| Breaking strength                         | Min. 1300 N                                        | Min. 2000 N                   | Min. 2000 N                 | ISO-10545-4  |
| Impact resistance                         | As per mfg                                         | Min. 0.55                     | Min. 0.55                   | ISO-10545-5  |
| SURFACE MECHANICAL PROPERTIES             |                                                    |                               |                             |              |
| Surface abrasion resistance               | As per mfg                                         | Min. Class-3                  | Min. Class-4                | ISO-10545-7  |
| MOH's hardness                            | As per mfg                                         | Min. 4                        | Min. 5                      | EN 101       |
| THERMO HYDROMETRIC PROPERTIES             |                                                    |                               |                             |              |
| Frost resistance                          | No damage                                          | No damage                     | No damage                   | ISO-10545-12 |
| Thermal shock resistance                  | No damage                                          | No damage                     | No damage                   | ISO-10545-9  |
| Moisture expansion                        | Nil                                                | Nil                           | Nil                         | ISO-10545-10 |
| Thermal expansion(COE)                    | Max. 9.0 x 10 <sup>-6</sup>                        | Max. 6.5x10 <sup>-6</sup>     | Max. 6.5 x 10 <sup>-6</sup> | ISO-10545-8  |
| Crazing resistance                        | As per mfg.                                        | Min. 10 Cycle                 | Min. 10 Cycle               | ISO-10545-11 |
| CHEMICAL PROPERTIES                       |                                                    |                               |                             |              |
| Chemical resistance                       | No damage                                          | No damage                     | No damage                   | ISO-10545-13 |
| Stain resistance                          | Resistant                                          | Resistant                     | Resistant                   | ISO-10545-14 |
| SAFETY PROPERTIES                         |                                                    |                               |                             |              |
| Slip resistance                           | As per mfg.                                        | >0.40                         | >0.40                       | ISO-10545-17 |
| Fire resistance                           | As per mfg.                                        | Fire proof                    | Fire proof                  | N. A.        |
| Lead & Cadmium given o<br>by glazed tiles | As per mfg.                                        | Does not yield<br>Pb & Cd     | Does not yield<br>Pb & Cd   | ISO-10545-15 |



# Packing Details.

| SR. NO. | PRODUCT         | NOMINAL SIZE  | TILES PER BOX | COVERAGE AREA | WEIGHT         |
|---------|-----------------|---------------|---------------|---------------|----------------|
| 1       | VITRIFIED TILES | 600 x 1200 mm | 2             | 1.44 Sq. Mtr. | 29 Kg Approx.. |

**Note:** •Colour Shown are as accurate as the limitations of the printing process will allow. •Prospective customers are advised to inspect a sample of the tile before ordering. •Every effort has been made to ensure the accuracy of the information given. •However, the company reserve the right to change the specifications without prior notice. •Sometime variations in shade or size being inherent to ceramic industry may occur. •Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.

# Applications.



DISCLAIMER : We reserves the right to delete & amend either totally of partially, and of the colours, shapes, size, references and other technical specification contain in catalogue at any time. the colours shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample final selection. The details of colours, size, references should be vitrified for Typographical errors. SHADE & SIZE VARIATIONS are inherent characteristics of ceramics. NO COMPLIANT SHALL BE SHALL ENTERTAINED ON TILES ALREADY LAID/FIXED.



## SEZ VITRIFIED PVT. LTD.

Opp.Somnath Petrol Pump, Pipli - Bela Road, At.Bela,  
Morbi - 363642 (Guj.) India, e | sezvitrified@gmail.com



+91 9512900022

[www.sezvitrified.com](http://www.sezvitrified.com)



Available On



Google play

